

METAL POST



METAL POST

NOTES:

1. Wire Mesh fencing shown, can also use Barbed Wire fencing.
2. See Standard Plan A86 for Wire Mesh and Barbed Wire fence dimensions.
3. T is not less than 3 times maximum cross section of post with minimum of 8".
4. H is 2'-6" for fabric less than 5'-0" high. H is 3'-0" for fabric 5'-0" and over.
5. May be used when thickness of concrete is 1'-0" or more.
6. May be used when thickness of concrete is 10" or more.

DIST	COUNTY	ROUTE	POST MILES TOTAL PROJECT	SHEET NO.	TOTAL SHEETS

REGISTERED CIVIL ENGINEER

May 31, 2018

PLANS APPROVAL DATE

THE STATE OF CALIFORNIA OR ITS OFFICERS OR AGENTS SHALL NOT BE RESPONSIBLE FOR THE ACCURACY OR COMPLETENESS OF SCANNED COPIES OF THIS PLAN SHEET.

W. Rezo Vellzadeh No. C51902 Exp. 6-30-18 CIVIL



WOOD POST

METHOD OF ERECTING FENCE FOR FILL SLOPE



WOOD POST

METHOD OF TYING FENCE TO HEADWALL



DETAIL D

See Note 5



DETAIL A



DETAIL B



DETAIL C



ALTERNATIVE DETAIL D

See Note 6

STATE OF CALIFORNIA
DEPARTMENT OF TRANSPORTATION

BARBED WIRE AND WIRE MESH FENCE DETAILS

NO SCALE

A86B

2018 STANDARD PLAN A86B

Return to Table of Contents